



*REQUIRED FOR SERVICES LARGER THAN 1"

CONSTRUCTION NOTES

- A. WATER MAIN
- B. DUCTILE IRON, EPOXY COATED BODIES WITH DOUBLE ALLOY STEEL STRAPS AND DOUBLE BOLTS (FOUR BOLTS TOTAL). MUELLER DR2A SERIES OR EQUAL
- C. CORPORATION STOP, A.Y. MCDONALD 74701 BQ
- D. SERVICE PIPE, SEAMLESS SOFT TEMPERED COPPER TYPE – TYPE "K" 1" OR LARGER
- E. CURB STOP, A.Y. MCDONALD 76104Q
- F. CONCRETE BRICK SUPPORT
- G. TYLER 6500 WITH BBAF VALVE BOX STABILIZER OR APPROVED EQUAL
- H. FINISHED GRADE
- I. CONNECT TO EXISTING SERVICE, PROVIDE ADAPTERS AS REQUIRED

NOTE: FOR 1 1/2" OR 2" SERVICE, ADD ENLARGED BASE FOR SERVICE BOX.

NOT TO SCALE

CITY OF JOLIET, ILLINOIS

WATER SERVICE
CONNECTION DETAIL
WTR-06

DATE: OCT. 2017